

## 国船级社

CHINA CLASSIFICATION SOCIETY

证书格式号/Form: W01.02-HO000041

# 工厂认可证书

证书编号/Certificate No. NJ17W00018\_17

兹证明本证书所述制造厂具备按照下列标准的要求生产本证书所列产品的能力和条件。

This is to certify that the manufacturer stated in the certificate meets the requirements of the standards listed below and is available with the ability and conditions to produce the products as described in the certificate.

制造厂/Manufacturer

## 佐敦涂料(张家港)有限公司

#### Jotun Coatings (Zhangjiagang) Co., Ltd.

江苏省张家港扬子江国际化学工业园长江路15号

NO.15 Changjiang Road, Yangtze River International Chemical Industry Park, Zhangjiagang, Jiangsu

认可产品/ Product Approved

## 船舶涂料

#### MARINE COATINGS

船体防污防锈漆体系

Anticorrosive and antifouling paints system for ship hull

附加标志/Notations

无/Nil.

#### 认可标准/ Approval Standard

1.2001年国际控制船舶有害防污底系统公约

International Convention on the Control of Harmful Anti-Fouling Systems on Ships, 2001

2.中国船级社《钢质海船入级规范》(2015)及其修改通报第2篇 第1章

Chapter 1, Part 2 of China Classification Society "Rules for Classification of Sea-going Steel Ships" (2015) and its Amendments

3.中国船级社《船舶结构防腐蚀检验指南》第三章

Chapter 3, China Classification Society Guidelines for Survey of Structure Anti Corrosion for Ship

4.GB/T6822-2014 《船体防污防锈漆体系》

GB/T6822-2014 Antifouling and anticorrosive paint systems for ship hull

证书有效期至/ This Certificate is valid until

发证机构

中国船级社江苏分社

Issued by CCS Jiangsu Branch

本证书根据中国船级社《纲页海船入级规范》及有关程序规定签发。关于证书的有关规定见本证书页背面的说明。当本证书包括多页纸纸的门则所有证书页为一个整体,必须同时使用。每一页证书均须由本社盖章方为有效。证书复印件无效。任何单位和个人均不应摘录或节选本证书的部分内容。本认可证书不代表本社对个体产 品质量的检验。有关各方对所持证书的真实性有疑问时,可以向我社检验机构咨询。

This Certificate is issued pursuant to the Rules for Classification of Sea-going Steel Ships and related procedures of the Society. Refer to the back of the certificate for detailed requirements of the certificate. When the certificate consists of more than one page, all pages of the certificate are taken as a whole and are used simultaneously. No certificate page is valid without bearing the stamp of the Society and no copied form of the certificate is regarded as valid. Any part of the certificate is not to be extracted or abridged by any unit or individual in any form. This approval certificate does not constitute the inspection of the Society about the quality of the unit/batch product. Related parties who are doubted about the authenticity of the certificate may inquire of the Society or its offices.





中国船级社总部/CCS headquarters: 北京市东直门南大街9号船检大厦

邮编: 100007 电话/Tel: +86(10)58112288 传真/Fax:

CCS Mansion, 9 Dongzhimen Nan Da Jie, Beijing 100007, China 木地检验机构/CCS Local Office: 中国船级社江苏分社 CCS Jiangsu Branch

电话/Tel: 0086-25-66668899 传真/Fax: 0086-25-58757734

网址/Web Site: http://www.ccs.org.cn

NJ21360214

第 1 页 共 5 页 / Page 1 of 5

Nº 16801588

#### 产品明细/ Product Description

船体防污防锈漆体系/Anticorrosive and antifouling paints system for ship hull . 详见附页/Reference to Additional 产品名称/Product Name Page

### 批准的图纸和设计计算书/ Approved Drawings and Design Calculations

图纸批准号/ Drawings Approval No.

NT17W00018

#### 产品认可试验报告/Approval Test Report

试验报告编号/Test Report No. 试验报告日期/Test Report Date

JX11380, JX11381 • 2011-10-14

试验单位/ Laboratory

船舶材料验证试验中心涂料检验站

Test and Verifying Center for Ship Materials on

Coatings and Paintings

试验单位地址/ Test Address

中国福建省厦门市火炬高新区(翔安)产业区内垵中路168号 No. 168 Nei' an Zhong Lu, Xiang' an Industrial Area, Xiamen Torch High-tech Zone, Xiamen Fujian, China

试验报告编号/Test Report No.

JX12101~JX12102

试验报告日期/Test Report Date

2012-03-02

:

•

:

试验单位/Laboratory

船舶材料验证试验中心涂料检验站

Test and Verifying Center for Ship Materials on

Coatings and Paintings

试验单位地址/ Test Address

中国福建省厦门市火炬高新区(翔安)产业区内垵中路168号 No. 168 Nei' an Zhong Lu, Xiang' an Industrial Area, Xiamen Torch High-tech Zone, Xiamen Fujian, China

试验报告编号/Test Report No. 试验报告日期/Test Report Date JX13060~JX13061 2013-02-04

试验单位/Laboratory

船舶材料验证试验中心涂料检验站

Test and Verifying Center for Ship Materials on

Coatings and Paintings

试验单位地址/ Test Address

中国福建省厦门市火炬高新区(翔安)产业区内垵中路168号 No. 168 Nei' an Zhong Lu, Xiang' an Industrial Area, Xiamen Torch High-tech Zone, Xiamen Fujian, China

试验报告编号/Test Report No. 试验报告日期/Test Report Date JX12302~JX12307

2012-09-14

试验单位/Laboratory

船舶材料验证试验中心涂料检验站

Test and Verifying Center for Ship Materials on

Coatings and Paintings

试验单位地址/ Test Address

中国福建省厦门市火炬高新区(翔安)产业区内垵中路168号

No. 168 Nei' an Zhong Lu, Xiang' an Industrial Area, Xiamen Torch High-tech Zone, Xiamen Fujian, China

试验报告编号/Test Report No. 试验报告日期/Test Report Date C0548~C0550 2005-07-22

试验单位/Laboratory

船舶材料验证试验中心厦门涂料检测站

Testing and Verifying Center for Ship Materials on Coatings and Paintings (Xiamen Branch)

试验单位地址/ Test Address

中国福建省厦门市鼓浪屿鼓新路58号

No. 58 Guxin Road, Gulangyu, Xiamen, Fujian, China C0564

试验报告编号/Test Report No. 试验报告日期/Test Report Date

2005-10-28

试验单位/Laboratory

船舶材料验证试验中心厦门涂料检测站

Testing and Verifying Center for Ship Materials on Coatings and Paintings (Xiamen Branch)

试验单位地址/ Test Address

中国福建省厦门市鼓浪屿鼓新路58号

试验报告编号/Test Report No. 试验报告日期/Test Report Date No. 58 Guxin Road, Gulangyu, Xiamen, Fujian, China JX10238, JX10240

El di 试验单位/Laboratory

2010-08-03

船舶材料验证试验中心厦门涂料检测站

Testing and Verifying Center for Ship Materials on Coatings and Paintings (Xiamen Branch)

SIASSIFICATION 50



30

第2页共5页/Page 2 of 5

<b>正</b> や編 写/し	ertlii	cate No. Nji/WUUUIO_I/
试验单位地址/ Test Address	:	中国福建省厦门市鼓浪屿鼓新路58号
试验报告编号/Test Report No.	:	No. 58 Guxin Road, Gulangyu, Xiamen, Fujian, China JX11316, JX11318 2011-09-07
试验报告日期/Test Report Date	:	
试验单位/Laboratory	:	船舶材料验证试验中心厦门涂料检测站 Testing and Verifying Center for Ship Materials on Coatings and Paintings(Xiamen Branch)
试验单位地址/ Test Address	:	中国福建省厦门市鼓浪屿鼓新路58号 No. 58 Guxin Road, Gulangyu, Xiamen, Fujian, China
试验报告编号/Test Report No. 试验报告日期/Test Report Date	:	JX10274, JX10276 2010-09-08
	-	船舶材料验证试验中心厦门涂料检测站
试验单位/Laboratory	:	Testing and Verifying Center for Ship Materials on Coatings and Paintings(Xiamen Branch)
试验单位地址/ Test Address	:	中国福建省厦门市鼓浪屿鼓新路58号 No. 58 Guxin Road, Gulangyu, Xiamen, Fujian, China
试验报告编号/Test Report No.	:	JX11305~JX11306
试验报告日期/Test Report Date	:	2011-08-25
试验单位/Laboratory	:	船舶材料验证试验中心厦门涂料检测站 Testing and Verifying Center for Ship Materials on Coatings and Paintings(Xiamen Branch)
试验单位地址/ Test Address	:	中国福建省厦门市鼓浪屿鼓新路58号 No. 58 Guxin Road, Gulangyu, Xiamen, Fujian, China
试验报告编号/Test Report No.	:	JX12255, JX12257
试验报告日期/Test Report Date	:	2012-07-20
试验单位/Laboratory	:	船舶材料验证试验中心厦门涂料检测站 Testing and Verifying Center for Ship Materials on Coatings and Paintings(Xiamen Branch)
试验单位地址/ Test Address	:	中国福建省厦门市鼓浪屿鼓新路58号 No. 58 Guxin Road, Gulangyu, Xiamen, Fujian, China
试验报告编号/Test Report No.	:	JX14381~JX14383
试验报告日期/Test Report Date	:	2014-12-10
试验单位/Laboratory	:	船舶材料验证试验中心厦门涂料检测站 Testing and Verifying Center for Ship Materials on Coatings and Paintings(Xiamen Branch)
试验单位地址/ Test Address	:	中国福建省厦门市鼓浪屿鼓新路58号 No. 58 Guxin Road, Gulangyu, Xiamen, Fujian, China
试验报告编号/Test Report No.	:	JX15306~JX15308
试验报告日期/Test Report Date	:	2014-09-20
试验单位/Laboratory	:	船舶材料验证试验中心厦门涂料检测站 Testing and Verifying Center for Ship Materials on Coatings and Paintings(Xiamen Branch)
试验单位地址/ Test Address	:	中国福建省厦门市鼓浪屿鼓新路58号
试验报告编号/Test Report No.	:	No. 58 Guxin Road, Gulangyu, Xiamen, Fujian, China JX16226~JX16227
试验报告日期/Test Report Date	•	2016-08-29
试验单位/ Laboratory	•	船舶材料验证试验中心厦门涂料检测站
时间不是下,Fanorator A	•	Testing and Verifying Center for Ship Materials on Coatings and Paintings(Xiamen Branch)
试验单位地址/ Test Address	;	中国福建省厦门市鼓浪屿鼓新路58号 No. 58 Guxin Road, Gulangyu, Xiamen, Fujian, China
试验报告编号/Test Report No.	:	JX13001~JX13003, JX13012
试验报告日期/Test Report Date	:	2013-01-09
试验单位/Laboratory	;	船舶材料验证试验中心厦门涂料检测站 Testing and Verifying Center for Ship Materials on Coatings and Paintings(Xiamen Branch)
试验单位地址/ Test Address	:	中国福建省厦门市鼓浪屿鼓新路58号 No. 58 Guxin Road, Gulangyu, Xiamen, Fujian, China
17.4 H H H /		

产品适用范围/Application of the Product

国际航行海船和国内航行海船/International sea-going ship, Domestic sea-going ship

认可保持条件/ Maintenance Requirements of Approval



1. 工厂认可后,如果图纸、技术文件、工艺规程有较大改变,应征得本社同意。若改变涉及或影响到产品的设计、主要制造材料、关键工艺或产品的特性、特征,则与特性有关的图纸和技术文件应经过本社审批,并在检验机构认为必要时,经本社检验人员到厂进行检查和见证有关试验,其结果应能证实仍符合认可条件。

After works approval, if there are any major changes to the drawings, technical documents, specifications, prior consent should be obtained from the survey office of the Society. If the changes involve or affect product design, major construction materials, key workmanship or product characteristics and properties, drawings and technical documents related to properties are to be examined and approved by the Society and, where deemed necessary by the survey office, the surveyor to the Society will go to the manufacturer to inspect or witness relevant tests and the results of the tests should be able to demonstrate compliance with the approval conditions

2. 工厂的质量管理体系应保持有效运行,并且与认可时一致。如果质量管理体系发生改变,应经原体系认证机构审核并报本社批准。

The quality management system of the factory shall be ensure effective operation, and shall be the same as the situation of approval. If there are any changes to the quality management system, auditing of the original certification organization for quality management system and the society's approval shall be obtained.

approval shall be obtained.
3. 工厂认可证书获得者应接受本社每年一次的定期审核,定期审核日为认可证书期满之日对应的每一周年日,检查工作可在定期审核日的前后三个月内进行。Those who have obtained the certificate of works approval shall receive periodical audit done by the Society on an annual basis. The date of periodical audit shall be each anniversary date which corresponds to the date of expiry of the relevant certificate and the periodical audit may be done within a time span of three months before and after the annual surveillance date.

4. 在认可证书有效期内,本社检验人员可在未经事先通知的情况下对工厂的产品制造过程进行审核,以验证产品的生产是否符合业经本社批准的图纸和文件。工厂应予以配合。
Within the validity of the approval certificate, the surveyor to the Society may pay unannounced

Within the validity of the approval certificate, the surveyor to the Society may pay unannounced audit to the manufacturing process of the product in order to confirm whether it is in compliance with the drawings and documents approved by the Society. The factory should provide an active

cooperation and necessary for the surveyor.

5. 认可证书有效期内,如果出现可能导致本社暂停或撤消认可的情况,工厂应及时采取有效的纠正措施。
Within the validity of the approval certificate, if cases occur that may cause the Society to suspend or withdraw the certificate, the manufacturer should take corrective actions in a prompt and effective manner.

#### 认可后的产品检验方式/ Module of Product Inspection after Works Approval

按照规范只认可不进行产品检验的产品/The product approved only in term of the rules: 认可后的产品检验由制造厂按本社批准的产品检验计划进行检验,经检验合格后由制造厂签发合格证明,并连同该产品的本社认可证书复印件一并交付用户,制造厂对产品符合公约、法规、本社规范和本社认可的标准规定负责。 After approval, product inspection should be carried out by the Manufacturer in accordance with the product inspection scheme approved by the Society. Upon satisfactory inspection, and the Quality Certificate issued by the Manufacturer should be provided to the purchaser together with the copy of the approval certificate issued by the Society. The manufacturer should take responsibility for the product being in compliance with the convention, statutory regulation, the Society rules and the standard accepted by the Society.

#### 对于原材料和零部件的检验要求/ Inspection Requirements for Materials and Components

产品如下原材料和零部件应由本社认可的制造厂生产/The following materials and components of the product should be manufactured by the factory approved by the Society: 无/Nil

产品如下原材料和零部件应经本社检验,持有本社产品证书/The following materials and components of the product should be inspected and certificated by the Society:

产品如下原材料和零部件的制造厂清单,经本社批准方可变更/The list of manufacturer for the following materials and components of the product should not be changed without the Society's approval: 树脂、固化剂、颜料、填料/Resin, hardener, pigment, filler

#### 责任声明/Statement of Responsibility

本社的认可不影响、替代与本社授权或检验无关的各方对上述工厂的认可和发证,并且不对与本社授权或检验无关的各方负责,不承担其未经应允而承认、接受本社认可所导致的法律和经济责任。

The approval of the Society does not affect and replace any approval and certification of the manufacturer by any parties that bear no relation with this Society's authorization or survey and therefore takes no responsibility for these parties. The Society does not undertake any legal and economic liabilities arising from accepting this Society's certificate without prior permission from this Society.

#### 其他/Others

本证书由原工厂认可证书(No. NJ16W00068\_13) 换新并替代原证书。
This certificate is renewed from and supersedes the previous Works Approval Certificate No. NJ16W00068\_13.

CCS

171

第 4 页 共 5 页 / Page 4 of 5

16893174 证书编号/Certificate/NorNJ17W00018\_17

- 1. 涂装作业应按照油漆制造商产品说明书进行/Coating should be carried out in compliance with the product specification of the manufacturer.
- 2. 所有活性成份数据由制造商提供,未经本社试验验证/Information of active ingredient provided by the manufacturer is not verfied by CCS testing.

本社已审核了产品厂无石棉声明,但本社的审核不免除产品厂按照合同关系向订货方保证产品无石棉的责任。 The declaration of asbestos-free submitted by manufacturer has been reviewed by the Society. However, liability of the manufacturer to guarantee the products are asbestos-free to purchaser under contract will not be exempted.

中国船级社江苏分社

CCS Jiangsu Branch

\*\*\*\*\*本证书正文完/ End of Text\*\*\*\*\*

注:本证书含有附页,共2页

Note: The certificate is attached with 2 additional page(s)





## 产品明细 Particulars

序号	产品名称	适用范围
No.	Description	Application
1 1		船底防污漆,防污期效大于 30 个月/Anti-fouling paints, up to 30
	自抛光防污漆 700	months anti-fouling performance.
	Seaconomy 700	活性成分/Active ingredient: 氧化亚铜 Cuprous oxide/CAS
		No.:1317-39-1, 代森锌 Zineb/CAS No.: 12122-67-7
		船底防污漆,防污期效大于 30 个月/Anti-fouling paints, up to 30
2	自抛光防污漆 900 Seaconomy 900	months anti-fouling performance.
		活性成分/Active ingredient: 氧化亚铜 Cuprous oxide/CAS
		No.:1317-39-1, 代森锌 Zineb/CAS No.: 12122-67-7
	水解型自抛光防污漆 30 Seaforce 30	船底防污漆,防污期效大于 30 个月/Anti-fouling paints, up to 30
3		months anti-fouling performance.
		活性成分/Active ingredient: 氧化亚铜 Cuprous oxide/CAS
		No.:1317-39-1, 代森锌 Zineb/CAS No.: 12122-67-7
		船底防污漆,防污期效大于 30 个月/Anti-fouling paints, up to 30
	水解型自抛光防污漆 60 Seaforce 60	months anti-fouling performance.
4		活性成分/Active ingredient: 氧化亚铜 Cuprous oxide/CAS
		No.:1317-39-1, 代森锌 Zineb/CAS No.: 12122-67-7, 吡啶硫酮铜
		Copper pyrithione/CAS No.:14915-37-8
	水解型自抛光防污漆 90 Seaforce 90	船底防污漆,防污期效大于 30 个月/Anti-fouling paints, up to 30
_		months anti-fouling performance.
5		活性成分/Active ingredient: 氧化亚铜 Cuprous oxide/CAS
		No.:1317-39-1, 代森锌 Zineb/CAS No.: 12122-67-7, 吡啶硫酮铜
		Copper pyrithione/CAS No.:14915-37-8 船底防污漆,防污期效大于 30 个月/Anti-fouling paints, up to 30
	   丙烯酸硅烷超光滑自抛	months anti-fouling performance.
6	光防污漆	活性成分/Active ingredient: 氧化亚铜 Cuprous oxide/CAS
U	Seamate	No.:1317-39-1, 代森锌 Zineb/CAS No.: 12122-67-7, 吡啶硫酮铜
	Scarrate	Copper pyrithione/CAS No.:14915-37-8
		船底防污漆,防污期效大于 30 个月/Anti-fouling paints, up to 30
	   丙烯酸硅烷超光滑自抛	months anti-fouling performance.
7	光防污漆(M)	活性成分/Active ingredient: 氧化亚铜 Cuprous oxide/CAS
	Seamate M	No.:1317-39-1, 代森锌 Zineb/CAS No.: 12122-67-7, 吡啶硫酮铜
		Copper pyrithione/CAS No.:14915-37-8
		船底防污漆,防污期效大于 30 个月/Anti-fouling paints, up to 30
	丙烯酸硅烷超光滑自抛	months anti-fouling performance.
8	光防污漆(N)	活性成分/Active ingredient: 氧化亚铜 Cuprous oxide/CAS
	Seamate NB	No.:1317-39-1, 代森锌 Zineb/CAS No.: 12122-67-7, 吡啶硫酮铜
		Copper pyrithione/CAS No.:14915-37-8
9	丙烯酸硅烷超低阻自抛	船底防污漆。防污期效大于 30 个月/Anti-fouling paints, up to 30
	光防污漆(C)	months anti-fouling performance.
	1	ICH II GR

证书编号/Certificate No. NJ17W00018\_17

CCS

	Seaquantum Classic S	活性成分/Active ingredient: 氧化亚铜 Cuprous oxide/CAS
		No.:1317-39-1, 吡啶硫酮铜 Copper pyrithione/CAS No.:
		14915-37-8
		船底防污漆,防污期效大于 30 个月/Anti-fouling paints, up to 30
	丙烯酸硅烷超低阻自抛	months anti-fouling performance.
10	光防污漆(S)	活性成分/Active ingredient: 氧化亚铜 Cuprous oxide/CAS
	Seaquantum Plus S	No.:1317-39-1, 吡啶硫酮铜 Copper pyrithione/CAS No.:
		14915-37-8
		船底防污漆,防污期效大于 30 个月/Anti-fouling paints, up to 30
	丙烯酸硅烷超低阻自抛	months anti-fouling performance.
11	光防污漆(P)	活性成分/Active ingredient: 氧化亚铜 Cuprous oxide/CAS
	Seaquantum Pro	No.:1317-39-1, 代森锌 Zineb/CAS No.: 12122-67-7, 吡啶硫酮铜
		Copper pyrithione/CAS No.:14915-37-8
	船底防污漆,防污期效大于 30 个月/Anti-fouling paints, up to 30	
	丙烯酸硅烷超低阻自抛	months anti-fouling performance.
12	光防污漆(P)	活性成分/Active ingredient: 氧化亚铜 Cuprous oxide/CAS
	Seaquantum PRO U	No.:1317-39-1, 代森锌 Zineb/CAS No.: 12122-67-7, 吡啶硫酮铜
		Copper pyrithione/CAS No.:14915-37-8
		船底防污漆,防污期效大于 30 个月/Anti-fouling paints, up to 30
	丙烯酸硅烷超低阻自拋	months anti-fouling performance.
13	光防污漆 (U)	活性成分/Active ingredient: 氧化亚铜 Cuprous oxide/CAS
	Seaquantum Ultra S	No.:1317-39-1, 吡啶硫酮铜 Copper pyrithione/CAS
		No.:14915-37-8
		船底防污漆,防污期效大于 30 个月/Anti-fouling paints, up to 30
	甲基丙烯酸硅烷超低阻	months anti-fouling performance.
14	自抛光防污漆(X200)	活性成分/Active ingredient: 氧化亚铜 Cuprous oxide/CAS
	Seaquantum X200	No.:1317-39-1, 吡啶硫酮铜 Copper pyrithione/CAS No.:
		14915-37-8



